## ASUS ROUTER WALL CEILING MOUNT INSTRUCTION:

This Mount will fit for these ASUS Routers:

• ASUS RT-AX82U (AX5400)

The shipping package include:

- 1x ASUS Router Mount Plate left side
- 1x ASUS Router Mount Plate right side
- 2x Screw 4x35mm
- 6x Screw 3x12mm

You need:

- Screwdriver T10 and T20
- Water level
- Pencil
- Pocket rule

## How to mount:

## I am not responsible for any damage caused by improper use. You do it on your own risk!

- 1. You get 2 mounting plates. They only fit on one side. Take a look at *Figure 3* to orient yourself.
- 2. Pay attention to the exact orientation of the plate. Otherwise the screws will not fit into the grid holes on the router. Take a look on *Figure 1 & Figure 2* for the right grid holes of your router.
- After you have aligned the bracket exactly on the back of your router, screw in one screw after the other very carefully. Do this only by hand with a lot of feeling.
  Caution: If you overtighten the screws, you may damage your router.

Now you can prepare the mount or ceiling:

- 4. Measure the distance between the two insertion slots centrally as shown in *Figure 4*. This should be <u>21,2cm</u> to <u>21,3cm</u>. **Work with precision.**
- 5. Now mark the holes on the wall or ceiling with a pencil. At these points the 4x35mm screws come into the wall. **Work with precision.**
- 6. Do not screw the screws all the way into the wall or ceiling. Allow both screws to protrude about <u>6mm</u> from the wall or ceiling.
- 7. Now attach the router carefully. If the screw heads do not fit properly into the flange of the router mount plate, the tighten the 4x35mm screws more or less.
- 8. That's it. Enjoy!

IF YOU NEED HELP, FEEL FREE TO CONTACT ME: shop@investegate.de I would be very happy to receive a picture of the successful installation! Please leave a good feedback. THANK YOU!!!















